

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Docket No. 228/213
Anticipated Class 536-024.500

The Commissioner of Patents and Trademarks
Washington, DC 20231

This is a request for filing a

☒ Continuation

☐ Divisional

application under 37 CFR § 1.60, of pending prior application Serial

No. 07/965,411, filed August 9, 1993, of Fritz Eckstein, Wolfgang Pieken, Fritz Benseler, David B. Olsen, and David M. Williams for

MODIFIED RIBOZYMES.

1. ☒ Enclosed is a true paper copy of the prior application, including the oath or declaration, as originally filed.

2. ☒ The filing fee is calculated below:

PRIOR CLAIMS AS FILED, LESS ANY CLAIMS CANCELLED BY AMENDMENT BELOW

For	Number Filed	Number Extra	Rate	Basic Fee
				<u>\$770.00</u>
Total claims.	-20 =		X \$ 22.00 =	\$ 770.00
Independent claims. . .	- 3 =		X \$ 80.00 =	\$.00
Multiple dependent claim presented . . .			+ \$260.00 =	\$.00
				\$ 770.00

TOTAL FILING FEE \$ 770.00

3. ☒ The Commissioner is hereby authorized to charge all filing fees under 37 CFR § 1.16 and § 1.17 associated with this communication which may be required or credit any overpayment to Deposit Account No. 12-2475. A **triplicate copy** of this sheet is **enclosed**.

4. ☐ A verified statement that this filing is by a small entity

☐ is **attached**

☐ has been filed in the parent application and such status is still proper and desired (37 CFR 1.28(a))

Filing fee calculation (50% of above) _____

1/ "Express Mail" mailing label number EM104 357 161 45
Date of Deposit September 24, 1997

I hereby certify that this paper or fee is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 CFR § 1.10 on the date indicated above and is addressed to the Commissioner of Patents and Trademarks, Washington, D.C. 20231

CARA GRIFONE

Cara Grifone


(Typed or printed name of person mailing paper or fee)

(Signature of person mailing paper or fee)

5. ☒ A check in the amount of \$770.00 is enclosed.
6. ☐ Cancel claims _____.
7. ☒ Amend the specification by inserting before the first line the sentence: -- This is a ☒ continuation ☐ division of application Serial No. 07/965,411, filed August 9, 1993 hereby incorporated by reference in its totality (including drawings). --
8. ☐ Transfer the drawings from the prior application to this application and abandon said prior application as of the filing date accorded this application. A duplicate copy of this sheet is **enclosed** for filing in the prior application file.
9. ☐ New formal drawings are **enclosed**.
10. ☒ The prior application is assigned to MAX-PLANCK-GESELLSCHAFT ZUR FORDERUNG DER WISSENSCHAFTEN E.V.
11. ☒ The power of attorney in the prior application is to Richard J. Warburg, Esq., Reg. 32,327, LYON & LYON, First Interstate World Center, 633 West Fifth Street, Suite 4700, Los Angeles, California 90071-2066
- a. ☐ The power appears in the original papers in the prior application, dated April 3, 1992.
- b. ☒ As the power does not appear in the original papers, a copy of the power in the prior application is **enclosed**.
- c. ☐ A new power of attorney has been executed to _____.
- d. ☒ Kindly recognize as associate attorney
- Roland N. Smoot, Reg. No. 18,718; Conrad R. Solum, Jr. Reg. No. 20,467; James W. Geriak, Reg. No. 20,233; Robert M. Taylor, Jr., Reg. No. 19,848; Samuel B. Stone, Reg. No. 19,297; Douglas E. Olson, Reg. No. 22,798; Robert E. Lyon, Reg. No. 24,171; Robert C. Weiss, Reg. No. 24,939; William E. Thomson, Jr., Reg. No. 29,719; Richard E. Lyon, Jr., Reg. No. 26,300; John D. McConaghy, Reg. No. 26,773; William C. Steffin, Reg. No. 26,811; Coe A. Bloomberg, Reg. No. 26,605; J. Donald McCarthy, Reg. No. 25,119; John M. Benassi, Reg. No. 27,483; James H. Shalek, Reg. No. 29,749; Allan W. Jansen, Reg. No. 29,395; Robert W. Dickerson, Reg. No. 29,914; Roy L. Anderson, Reg. No. 30,240; David B. Murphy, Reg. No. 31,125; James C. Brooks, Reg. No. 29,898; Jeffrey M. Olson, Reg. No. 30,790; Steven D. Hemminger, Reg. No. 30,755; Jerrold B. Reilly, Reg. No. 32,293; Paul H. Meier, Reg. No. 32,274; John A. Rafter, Jr., Reg. No. 31,653; Kenneth H. Ohriner, Reg. No. 31,646; Mary S. Consalvi, Reg. No. 32,212; Bradford J. Duft, Reg. No. 32,219; Suzanne L. Biggs, Reg. No. 30,158; F.T. Alexandra Mahaney, Reg. No. 37,668; Jeffrey W. Guise, Reg. No. 34,613; Sheldon O. Heber, Reg. No. 38,179; Anthony C. Chen, Reg. No. 38,673; Charles S. Berkman, Reg. No. 38,077; and Sheryl R. Silverstein, Reg. No. 40,812 of LYON & LYON, 633 West Fifth Street, Suite 4700, Los Angeles, California 90071-2066 telephone (619) 552-8400.
12. ☐ A preliminary amendment is **enclosed**.
13. ☒ I hereby verify that the attached papers are a true paper copy of prior application Serial No. 07/965,411, as originally filed on August 9, 1993.
14. ☒ An Information Disclosure Statement is enclosed. All art referred to therein is present in the parent application 07/965,411.

The undersigned declares further that all statements made herein of his own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by Code and that such willful false statements may jeopardize the validity of the application of any patent issuing thereon.

9/20/97
Date


Richard J. Warburg
Registration No. 32,327

COMBINED DECLARATION AND POWER OF ATTORNEY

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name,

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the

invention entitled MODIFIED RIBOZYMES

_____ the specification of which
_____ is attached hereto.

X was filed on 23rd September 1991 as Application

Serial No. PCT/EP91/01811 and was amended on _____.

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to the examination of this application in accordance with Title 37, Code of Federal Regulations, §1.56 (a).

I hereby claim foreign priority benefits under Title 35, United States Code, §119 of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed:

Prior Foreign Application(s):

PCT/EP90/01731	PCT	12 OCTOBER 1990	X	
(Number)	(Country)	(Day/Month/Year Filed)	Yes	No
(Number)	(Country)	(Day/Month/Year Filed)	Yes	No
(Number)	(Country)	(Day/Month/Year Filed)	Yes	No

I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith: Richard J. Warburg, Esq.,
Registration No. 32,327.

Kindly recognize as associate attorney: Roland N. Smoot, Reg. No. 18,718; Conrad R. Solum, Jr., Reg. No. 20,467; James W. Geriak, Reg. No. 20,233; Robert M. Taylor, Jr., Reg. No. 19,848; Samuel B. Stone, Reg. No. 19,297; Douglas E. Olson, Reg. No. 22,798; Robert E. Lyon, Reg. No. 24,171; Robert C. Weiss, Reg. No. 24,939; William E. Thomson, Jr., Reg. No. 20,719; Richard E. Lyon, Jr., Reg. No. 26,300; John D. McConaghy, Reg. No. 26,773; William C. Steffin, Reg. No. 26,811; Coe A. Bloomberg, Reg. No. 26,605; J. Donald McCarthy, Reg. No. 25,119; John M. Benassi, Reg. No. 27,483; James H. Shalek, Reg. No. 29,749; Allan W. Jansen, Reg. No. 29,395; Robert W. Dickerson, Reg. No. 29,914; Roy L. Anderson, Reg. No. 30,240; David B. Murphy, Reg. No. 31,125; James C. Brooks, Reg. No. 29,898; Jeffrey M. Olson, Reg. No. 30,790; Steven D. Henninger, Reg. No. 30,755; Jerrold B. Rally, Reg. No. 32,293; and Suzanne L. Biggs, Reg. No. 30,158 of LYON & LYON, 611 West Sixth Street, Los Angeles, California 90017, Telephone (619) 552-8400.

Address all telephone calls to RICHARD J. WARBURG, ESQ. at telephone no. (619) 552-8400

Address all correspondence to RICHARD J. WARBURG, ESQ., LYON & LYON, 611 West Sixth Street, Suite 3400, Los Angeles, CA 90017.

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patents issued thereon.

Full name of sole or first inventor FRITZ ECKSTEIN

Inventor's signature Fritz Eckstein Date: 28.07.93

Residence Holundersteg 6, Gottingen W-3400, GERMANY

Citizenship GERMANY

Post Office Address Holundersteg 6, Gottingen W-3400, GERMANY

ADDITIONAL INVENTORS

Full name of inventor WOLFGANG PIEKEN
Inventor's signature _____ Date: _____
Residence 2860 Wilderness Place, Boulder, CO 80301, USA
Citizenship GERMANY
Post Office Address 2860 Wilderness Place, Boulder, CO 80301, USA

Full name of inventor FRITZ BENSELER
Inventor's signature Fritz Benseler Date: 29.7.93
Residence Neuendorfer Str. 14, D-37130 Gleichen/Etzborn, GERMANY
Citizenship GERMANY
Post Office Address Neuendorfer Str. 14, D-37130 Gleichen/Etzborn, GERMANY

Full name of inventor DAVID B. OLSEN
Inventor's signature _____ Date: _____
Residence WP44-B122, West Point, PA 19486, USA
Citizenship USA
Post Office Address WP 44-B122, West Point, PA 19486, USA

Full name of inventor DAVID M. WILLIAMS
Inventor's signature _____ Date: _____
Residence 82 Mill End Road, Cherry Hinton, Cambridge CB1 4JP, ENGLAND
Citizenship BRITISH
Post Office Address 82 Mill End Road, Cherry Hinton, Cambridge CB14JP, ENGLAND

ADDITIONAL INVENTORS

Full name of inventor OLAF HEINDENREICH 28.7.93 O. Hei
Inventor's signature *Olaf Heidenreich* Date: 28.7.93
Residence Karolinenweg 15, Gottingen W-3400, GERMANY
Citizenship GERMANY
Post Office Address Karolinenweg 15, Gottingen W-3400, GERMANY

Full name of inventor _____
Inventor's signature _____ Date: _____
Residence _____
Citizenship _____
Post Office Address _____

Full name of inventor _____
Inventor's signature _____ Date: _____
Residence _____
Citizenship _____
Post Office Address _____

Full name of inventor _____
Inventor's signature _____ Date: _____
Residence _____
Citizenship _____
Post Office Address _____

COMBINED DECLARATION AND POWER OF ATTORNEY

As a below named inventor, I hereby declare that:
 My residence, post office address and citizenship are as stated below next to my name,
 I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled MODIFIED RIBOZYMES

_____ the specification of which
 _____ is attached hereto.
X was filed on 23rd September 1991 as Application
 Serial No. PCT/EP91/01811 and was amended on _____.

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to the examination of this application in accordance with Title 37, Code of Federal Regulations, §1.56 (a).

I hereby claim foreign priority benefits under Title 35, United States Code, §119 of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed:

Prior Foreign Application(s):

PCT/EP90/01731	PCT	12 OCTOBER 1990	X	
(Number)	(Country)	(Day/Month/Year Filed)	Yes	No
(Number)	(Country)	(Day/Month/Year Filed)	Yes	No
(Number)	(Country)	(Day/Month/Year Filed)	Yes	No

I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith: Richard J. Warburg, Esq.,
Registration No. 32,327.

Kindly recognize as associate attorney: Roland N. Smoot, Reg. No. 18,718; Conrad R. Solum, Jr., Reg. No. 20,467; James W. Geriak, Reg. No. 20,233; Robert M. Taylor, Jr., Reg. No. 19,848; Samuel B. Stone, Reg. No. 19,297; Douglas E. Olson, Reg. No. 22,798; Robert E. Lyon, Reg. No. 24,171; Robert C. Weiss, Reg. No. 24,939; William E. Thomson, Jr., Reg. No. 20,719; Richard E. Lyon, Jr., Reg. No. 26,300; John D. McConaghy, Reg. No. 26,773; William C. Steffin, Reg. No. 26,811; Coe A. Bloomberg, Reg. No. 26,605; J. Donald McCarthy, Reg. No. 25,119; John M. Benassi, Reg. No. 27,483; James H. Shalek, Reg. No. 29,749; Allan W. Jansen, Reg. No. 29,395; Robert W. Dickerson, Reg. No. 29,914; Roy L. Anderson, Reg. No. 30,240; David B. Murphy, Reg. No. 31,125; James C. Brooks, Reg. No. 29,898; Jeffrey M. Olson, Reg. No. 30,790; Steven D. Henninger, Reg. No. 30,755; Jerrold B. Ratty, Reg. No. 32,293; and Suzanne L. Biggs, Reg. No. 30,158 of LYON & LYON, 611 West Sixth Street, Los Angeles, California 90017, Telephone (619) 552-8400.

Address all telephone calls to RICHARD J. WARBURG, ESQ. at telephone no. (619) 552-8400.

Address all correspondence to RICHARD J. WARBURG, ESQ., LYON & LYON, 611 West Sixth Street, Suite 3400, Los Angeles, CA 90017.

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patents issued thereon.

Full name of sole or first inventor FRITZ ECKSTEIN

Inventor's signature _____ Date: _____

Residence Holundersteg 6, Gottingen W-3400, GERMANY

Citizenship GERMANY

Post Office Address Holundersteg 6, Gottingen W-3400, GERMANY

ADDITIONAL INVENTORS

Full name of inventor WOLFGANG PIEKEN
Inventor's signature _____ Date: _____
Residence 2860 Wilderness Place, Boulder, CO 80301, USA
Citizenship GERMANY
Post Office Address 2860 Wilderness Place, Boulder, CO 80301, USA

Full name of inventor FRITZ BENSELER
Inventor's signature _____ Date: _____
Residence Neuendorfer Str. 14, D-37130 Gleichen/Etzborn, GERMANY
Citizenship GERMANY
Post Office Address Neuendorfer Str. 14, D-37130 Gleichen/Etzborn, GERMANY

Full name of inventor DAVID B. OLSEN
Inventor's signature David B Olsen Date: 7/27/93
Residence WP44-B122, West Point, PA 19486, USA
Citizenship USA
Post Office Address WP 44-B122, West Point, PA 19486, USA

Full name of inventor DAVID M. WILLIAMS
Inventor's signature _____ Date: _____
Residence 82 Mill End Road, Cherry Hinton, Cambridge CB1 4JP, ENGLAND
Citizenship BRITISH
Post Office Address 82 Mill End Road, Cherry Hinton, Cambridge CB14JP, ENGLAND

[illegible]

Post Office Address Karolinenweg 15, Gottingen W-3400, GERMANY

Post Office Address _____

Post Office Address _____

Post Office Address _____

COMBINED DECLARATION AND POWER OF ATTORNEY

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name,

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the

invention entitled MODIFIED RIBOZYMES

_____ the specification of which
_____ is attached hereto.

X was filed on 23rd September 1991 as Application

Serial No. PCT/EP91/01811 and was amended on _____.

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to the examination of this application in accordance with Title 37, Code of Federal Regulations, §1.56 (a).

I hereby claim foreign priority benefits under Title 35, United States Code, §119 of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed:

Prior Foreign Application(s):

<u>PCT/EP90/01731</u>	<u>PCT</u>	<u>12 OCTOBER 1990</u>	<u>X</u>	
(Number)	(Country)	(Day/Month/Year Filed)	Yes	No
(Number)	(Country)	(Day/Month/Year Filed)	Yes	No
(Number)	(Country)	(Day/Month/Year Filed)	Yes	No

I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith: Richard J. Warburg, Esq.,
Registration No. 32,327.

Kindly recognize as associate attorney: Roland N. Smoot, Reg. No. 18,718; Conrad R. Solum, Jr., Reg. No. 20,467; James W. Geriak, Reg. No. 20,233; Robert M. Taylor, Jr., Reg. No. 19,848; Samuel B. Stone, Reg. No. 19,297; Douglas E. Olson, Reg. No. 22,798; Robert E. Lyon, Reg. No. 24,171; Robert C. Weiss, Reg. No. 24,939; William E. Thomson, Jr., Reg. No. 20,719; Richard E. Lyon, Jr., Reg. No. 26,300; John D. McConaghy, Reg. No. 26,773; William C. Steffin, Reg. No. 26,811; Coe A. Bloomberg, Reg. No. 26,605; J. Donald McCarthy, Reg. No. 25,119; John M. Benassi, Reg. No. 27,483; James H. Shalek, Reg. No. 29,749; Allan W. Jansen, Reg. No. 29,395; Robert W. Dickerson, Reg. No. 29,914; Roy L. Anderson, Reg. No. 30,240; David B. Murphy, Reg. No. 31,125; James C. Brooks, Reg. No. 29,898; Jeffrey M. Olson, Reg. No. 30,790; Steven D. Hemminger, Reg. No. 30,755; Jerrold B. Rally, Reg. No. 32,293; and Suzanne L. Biggs, Reg. No. 30,158 of LYON & LYON, 611 West Sixth Street, Los Angeles, California 90017, Telephone (619) 552-8400.

Address all telephone calls to RICHARD J. WARBURG, ESQ. at telephone no. (619) 552-8400

Address all correspondence to RICHARD J. WARBURG, ESQ., LYON & LYON, 611 West Sixth Street, Suite 3400, Los Angeles, CA 90017.

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patents issued thereon.

Full name of sole or first inventor FRITZ ECKSTEIN

Inventor's signature _____ Date: _____

Residence Holundersteg 6, Gottingen W-3400, GERMANY

Citizenship GERMANY


Post Office Address Holundersteg 6, Gottingen W-3400, GERMANY

ADDITIONAL INVENTORS

Full name of inventor WOLFGANG PIEKEN
Inventor's signature _____ Date: _____
Residence 2860 Wilderness Place, Boulder, CO 80301, USA
Citizenship GERMANY
Post Office Address 2860 Wilderness Place, Boulder, CO 80301, USA

Full name of inventor FRITZ BENSELER
Inventor's signature _____ Date: _____
Residence Neuendorfer Str. 14, D-37130 Gleichen/Etzborn, GERMANY
Citizenship GERMANY
Post Office Address Neuendorfer Str. 14, D-37130 Gleichen/Etzborn, GERMANY

Full name of inventor DAVID B. OLSEN
Inventor's signature _____ Date: _____
Residence WP44-B122, West Point, PA 19486, USA
Citizenship USA
Post Office Address WP 44-B122, West Point, PA 19486, USA

Full name of inventor DAVID M. WILLIAMS
Inventor's signature  Date: 28th July 1993
Residence 82 Mill End Road, Cherry Hinton, Cambridge CB1 4JP, ENGLAND
Citizenship BRITISH
Post Office Address 82 Mill End Road, Cherry Hinton, Cambridge CB14JP, ENGLAND

ADDITIONAL INVENTORS

Full name of inventor OLAF HEINDENREICH

Inventor's signature _____ Date: _____

Residence Karolinenweg 15, Gottingen W-3400, GERMANY

Citizenship GERMANY

Post Office Address Karolinenweg 15, Gottingen W-3400, GERMANY

Full name of inventor _____

Inventor's signature _____ Date: _____

Residence _____

Citizenship _____

Post Office Address _____

Full name of inventor _____

Inventor's signature _____ Date: _____

Residence _____

Citizenship _____

Post Office Address _____

Full name of inventor _____

Inventor's signature _____ Date: _____

Residence _____

Citizenship _____

Post Office Address _____

0093680 2699680

COMBINED DECLARATION AND POWER OF ATTORNEY

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name,

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the

invention entitled MODIFIED RIBOZYMES

_____ the specification of which
_____ is attached hereto.

X was filed on 23rd September 1991 as Application

Serial No. PCT/EP91/01811 and was amended on _____

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to the examination of this application in accordance with Title 37, Code of Federal Regulations, §1.56 (a).

I hereby claim foreign priority benefits under Title 35, United States Code, §119 of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed:

Prior Foreign Application(s):

<u>PCT/EP90/01731</u>	<u>PCT</u>	<u>12 OCTOBER 1990</u>	<u>X</u>	
(Number)	(Country)	(Day/Month/Year Filed)	Yes	No
(Number)	(Country)	(Day/Month/Year Filed)	Yes	No
(Number)	(Country)	(Day/Month/Year Filed)	Yes	No

I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith: Richard J. Warburg, Esq.,
Registration No. 32,327.

Kindly recognize as associate attorney: Roland N. Smoot, Reg. No. 18,718; Conrad R. Solum, Jr., Reg. No. 20,467; James W. Geriak, Reg. No. 20,233; Robert M. Taylor, Jr., Reg. No. 19,848; Samuel B. Stone, Reg. No. 19,297; Douglas E. Olson, Reg. No. 22,798; Robert E. Lyon, Reg. No. 24,171; Robert C. Weiss, Reg. No. 24,939; William E. Thomson, Jr., Reg. No. 20,719; Richard E. Lyon, Jr., Reg. No. 26,300; John D. McConaghy, Reg. No. 26,773; William C. Steffin, Reg. No. 26,811; Coe A. Bloomberg, Reg. No. 26,605; J. Donald McCarthy, Reg. No. 25,119; John M. Benassi, Reg. No. 27,483; James H. Shalek, Reg. No. 29,749; Allan W. Jansen, Reg. No. 29,395; Robert W. Dickerson, Reg. No. 29,914; Roy L. Anderson, Reg. No. 30,240; David B. Murphy, Reg. No. 31,125; James C. Brooks, Reg. No. 29,898; Jeffrey M. Olson, Reg. No. 30,790; Steven D. Henninger, Reg. No. 30,755; Jerrold B. Reilly, Reg. No. 32,293; and Suzanne L. Biggs, Reg. No. 30,158 of LYON & LYON, 611 West Sixth Street, Los Angeles, California 90017, Telephone (619) 552-8400.

Address all telephone calls to RICHARD J. WARBURG, ESQ. at telephone no. (619) 552-8400

Address all correspondence to RICHARD J. WARBURG, ESQ., LYON & LYON, 611 West Sixth Street, Suite 3400, Los Angeles, CA 90017.

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patents issued thereon.

Full name of sole or first inventor FRITZ ECKSTEIN


Inventor's signature _____ Date: _____

Residence Holundersteg 6, Gottingen W-3400, GERMANY

Citizenship GERMANY

Post Office Address Holundersteg 6, Gottingen W-3400, GERMANY

ADDITIONAL INVENTORS

Full name of inventor WOLFGANG PIEKEN
Inventor's signature  Date: 7/27/93
Residence 2860 Wilderness Place, Boulder, CO 80301, USA
Citizenship GERMANY
Post Office Address 2860 Wilderness Place, Boulder, CO 80301, USA

Full name of inventor FRITZ BENSELER
Inventor's signature _____ Date: _____
Residence Neuendorfer Str. 14, D-37130 Gleichen/Etzborn, GERMANY
Citizenship GERMANY
Post Office Address Neuendorfer Str. 14, D-37130 Gleichen/Etzborn, GERMANY

Full name of inventor DAVID B. OLSEN
Inventor's signature _____ Date: _____
Residence WP44-B122, West Point, PA 19486, USA
Citizenship USA
Post Office Address WP 44-B122, West Point, PA 19486, USA

Full name of inventor DAVID M. WILLIAMS
Inventor's signature _____ Date: _____
Residence 82 Mill End Road, Cherry Hinton, Cambridge CB1 4JP, ENGLAND
Citizenship BRITISH
Post Office Address 82 Mill End Road, Cherry Hinton, Cambridge CB14JP, ENGLAND

ADDITIONAL INVENTORS

Full name of inventor OLAF HEINDENREICH

Inventor's signature _____ Date: _____

Residence Karolinenweg 15, Gottingen W-3400, GERMANY

Citizenship GERMANY

Post Office Address Karolinenweg 15, Gottingen W-3400, GERMANY

Full name of inventor _____

Inventor's signature _____ Date: _____

Residence _____

Citizenship _____

Post Office Address _____

Full name of inventor _____

Inventor's signature _____ Date: _____

Residence _____

Citizenship _____

Post Office Address _____

Full name of inventor _____

Inventor's signature _____ Date: _____

Residence _____

Citizenship _____

Post Office Address _____

46450 " 46450 " 46450 "

NATIONAL APPLICATION (U.S.)

Please acknowledge receipt of the following by
affixing hereon the Patent Office date stamp
and returning this card to our office.

Amendment to: MAX-PLANCK-GESELLSCHAFT ...

Serial No:

Filed:

For:

December 28, 1992

MODIFIED RIBOZYMES

97/365411

Attorney:

Docket No:

O.A. Date:

RJWarburg

195/036 (RPI/Eckstein)

LYON & LYON

13 Rec'd PCT/PC 28 DEC 1992

Enclosures:

REQUEST FOR FILING NATIONAL PHASE APPL.
STATEMENT; INFORMATION SHEET; PCT
REQUEST FORM (4 sheets); AMENDMENT to
OFFICIAL COMMUNICATION (dated 9/1/92)
PCT PUBLICATION (and corrected sheets)
EXECUTED DECLARATIONS; ASSIGNMENT

464250-2399630

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants:)
)
MAX-PLANCK-GESELLSCHAFT ZUR)
FORDERUNG DER WISSENSCHAFTEN)
E.V.)
)
Serial No. PCT/EP91/01811)
)
Filed: 23 SEPTEMBER 1991) Los Angeles, CA 90017
)
For: MODIFIED RIBOZYMES

REQUEST FOR FILING NATIONAL PHASE APPLICATION

December 28, 1992

Honorable Commissioner of
Patents and Trademarks
Washington, D.C. 20231

Sir:

This is a request for filing a national phase application of P.C.T. Application No. PCT/EP91/01811 filed on September 23, 1991, of Fritz Eckstein, Wolfgang A. Pieken, Fritz Benseler, David B. Olsen, David M. Williams, Olaf Heidenreich, entitled MODIFIED RIBOZYMES, claiming priority from PCT/EP90/01731, filed October 12, 1990.


1. Enclosed is a true copy of the above P.C.T. application with the required statement.
2. The Commissioner is hereby authorized to charge all filing fees to Deposit Account No. 12-2475 and any additional

195/036
Patent

fees which may be required or to make any credits to Account No.
12-2475. A duplicate copy of this sheet is enclosed.

Respectfully submitted,

LYON & LYON




Richard J. Warburg
Registration No. 32,327

611 West Sixth Street
Suite 3400
Los Angeles, CA 90017
(213) 489-1600

"Express Mail" mailing label number HB43321507945
Date of Deposit December 28, 1992

I hereby certify that this paper or fee is being
deposited with the United States Postal Service
"Express Mail Post Office to Addressee" service un-
der 37 CFR 1.19 on the date indicated above and is
addressed to the Commissioner of Patents and Trade-
marks, Washington, DC 20231.

CARA GIFFONE
Type or Printed Name of Person
Mailing Paper or Fee

Signature

195/036
Patent

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants:

MAX-PLANCK-GESELLSCHAFT ZUR
FORDERUNG DER WISSENSCHAFTEN
E.V.

Serial No. PCT/EP91/01811

Filed: 23 SEPTEMBER 1991

Los Angeles, CA 90017

For: MODIFIED RIBOZYMES

STATEMENT

December 28, 1992

Honorable Commissioner of
Patents and Trademarks
Washington, D.C. 20231

Sir:

The attached is a true copy of P.C.T. application
PCT/EP91/01811, filed September 23, 1991, as filed.

Respectfully submitted,

LYON & LYON

Richard J. Warburg
Registration No. 32,327

"Express Mail" mailing label number HB433215079 US
Date of Deposit December 28, 1992

611 West Sixth Street
Suite 3400
Los Angeles, CA 90017
(213) 489-1600

I hereby certify that this paper or fee is being
deposited with the United States Postal Service
"Express Mail Post Office to Addressee" service un-
der 39 U.S.C. 110 on the date indicated above and is
addressed to the Commissioner of Patents and Trade-
marks, Washington, DC 20231.

CARA GRIFFONE
Name of Mailed Name of Person
Mailing Paper or Fee

Signature



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁵ : C12N 9/00, 15/00, A61K 31/00	A1	(11) International Publication Number: WO 92/07065 (43) International Publication Date: 30 April 1992 (30.04.92)
(21) International Application Number: PCT/EP91/01811 (22) International Filing Date: 23 September 1991 (23.09.91) (30) Priority data: PCT/EP90/01731 12 October 1990 (12.10.90) EP <i>(34) Countries for which the regional or international application was filed:</i> AT et al. (71) Applicant (for all designated States except US): MAX-PLANCK-GESELLSCHAFT ZUR FÖRDERUNG DER WISSENSCHAFTEN E.V. [DE/DE]; Bunsenstraße 10, D-3400 Göttingen (DE). (72) Inventors; and (75) Inventors/Applicants (for US only): ECKSTEIN, Fritz [DE/DE]; Holundersteg 6, D-3400 Göttingen (DE). PIEKEN, Wolfgang, A. [DE/DE]; Auf der Wessel 22, D-3400 Göttingen (DE). BENSELER, Fritz [DE/DE]; Heinrich-Warnecke-Straße 4, D-3400 Göttingen (DE). OLSEN, David, B. [US/US]; Merck, Sharp & Dohme, Research Laboratory, WP 42-300, Westpoint, PA 19486 (US). WILLIAMS, David, M. [GB/DE]; Wiesenstraße 15, D-3400 Göttingen (DE). HEIDENREICH, Olaf [DE/DE]; Karolinenweg 15, D-3400 Göttingen (DE).		(74) Agents: WEICKMANN, H. et al.; Postfach 86 08 20, Möhlstraße 22, D-8000 München 80 (DE). (81) Designated States: AT, AT (European patent), AU, BB, BE (European patent), BF (OAPI patent), BG, BJ (OAPI patent), BR, CA, CF (OAPI patent), CG (OAPI patent), CH, CH (European patent), CI (OAPI patent), CM (OAPI patent), CS, DE, DE (European patent), DK, DK (European patent), ES, ES (European patent), FI, FR (European patent), GA (OAPI patent), GB, GB (European patent), GN (OAPI patent), GR (European patent), HU, IT (European patent), JP, KP, KR, LK, LU, LU (European patent), MC, MG, ML (OAPI patent), MN, MR (OAPI patent), MW, NL, NL (European patent), NO, PL, RO, SD, SE, SE (European patent), SN (OAPI patent), SU ⁺ , TD (OAPI patent), TG (OAPI patent), US. Published <i>With international search report.</i>
(54) Title: MODIFIED RIBOZYMES (57) Abstract <p>The present invention refers to an RNA molecule with catalytic activity comprising at least one modified nucleoside, wherein the hydroxy group at the 2'-position of the ribose sugar is replaced by a modifier group, selected from halo, sulfhydryl, azido, amino, monosubstituted amino and disubstituted amino groups, a process for the preparation of modified RNA molecules and the use of modified RNA molecules as therapeutic agents and biocatalysts.</p> <div data-bbox="1166 1642 1481 1843" style="border: 1px solid black; padding: 5px; text-align: center;">Weickmann E 14. JUL 1992 Frist: Patentanwälte</div>		

PATENT COOPERATION TREATY

Weickmann
E. 11. 1992
File

TO

FROM the INTERNATIONAL BUREAU of the
WORLD INTELLECTUAL PROPERTY ORGANIZATION

WEICKMANN, H.
Postfach 860 820
Kopernikustrasse 9
D-8000 München 86
ALLEMAGNE

COMMUNICATION IN CASES FOR WHICH
NO OTHER FORM IS APPLICABLE

DATE OF MAILING
by the INTERNATIONAL BUREAU: (26.05.92)
26 May 1992

APPLICANT'S OR AGENT'S
FILE REFERENCE
PCT 157

IDENTIFICATION OF THE INTERNATIONAL APPLICATION

International Application Number

PCT/EP91/01811

International Filing Date

23 September 1991 (23.09.91)

Applicant (Name)

MAX-PLANCK-GESELLSCHAFT ZUR FÖRDERUNG DER WISSENSCHAFTEN E.V.
ECKSTEIN, Fritz, et al.

NOTIFICATION

The applicant, in respect of the above-identified international application, is notified that an applicant/inventor for the US only, HEIDENREICH, Olaf, has inadvertently been overlooked by the International Bureau.

The International Bureau (WO) shall publish a correction in Section II of PCT Gazette No. 15/1992 to be published on 11 July 1992 (11.07.92).

A correct version of the front page of the corresponding PCT Pamphlet will be published on the same date and communicated to the designated Offices, pursuant to PCT Article 20.

A copy of this notification has been sent to the receiving Office (RO/EP), to the International Searching Authority (ISA/EP), to the designated Office concerned (DO/US), and to the International Preliminary Examining Authority (IPEA/EP).

THE INTERNATIONAL BUREAU OF THE WORLD INTELLECTUAL PROPERTY ORGANIZATION

Mailing Address

WIPO
34, chemin des Colombettes
1211 Geneva 20
Switzerland

Authorized Officer

J.D. Hawkins

264260-2996680



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 5 : C12N 9/00, 15/00, A61K 31/00	A1	(11) International Publication Number: WO 92/07065 (43) International Publication Date: 30 April 1992 (30.04.92)
(21) International Application Number: PCT/EP91/01811 (22) International Filing Date: 23 September 1991 (23.09.91) (30) Priority data: PCT/EP90/01731 12 October 1990 (12.10.90) EP <i>(34) Countries for which the regional or international application was filed:</i> AT et al. (71) Applicant (for all designated States except US): MAX-PLANCK-GESELLSCHAFT ZUR FÖRDERUNG DER WISSENSCHAFTEN E.V. [DE/DE]; Bunsenstraße 10, D-3400 Göttingen (DE). (72) Inventors; and (75) Inventors/Applicants (for US only): ECKSTEIN, Fritz [DE/DE]; Holundersteg 6, D-3400 Göttingen (DE). PIEKEN, Wolfgang, A. [DE/DE]; Auf der Wessel 22, D-3400 Göttingen (DE). BENSELER, Fritz [DE/DE]; Heinrich-Warnecke-Straße 4, D-3400 Göttingen (DE). OLSEN, David, B. [US/US]; Merck, Sharp & Dohme, Research Laboratory, WP 42-300, Westpoint, PA 19486 (US). WILLIAMS, David, M. [GB/DE]; Wiesenstraße 15, D-3400 Göttingen (DE).		(74) Agents: WEICKMANN, H. et al.; Postfach 86 08 20, Möhlstrasse 22, D-8000 München 80 (DE). (81) Designated States: AT, AT (European patent), AU, BB, BE (European patent), BF (OAPI patent), BG, BJ (OAPI patent), BR, CA, CF (OAPI patent), CG (OAPI patent), CH, CH (European patent), CI (OAPI patent), CM (OAPI patent), CS, DE, DE (European patent), DK, DK (European patent), ES, ES (European patent), FI, FR (European patent), GA (OAPI patent), GB, GB (European patent), GN (OAPI patent), GR (European patent), HU, IT (European patent), JP, KP, KR, LK, LU, LU (European patent), MC, MG, ML (OAPI patent), MN, MR (OAPI patent), MW, NL, NL (European patent), NO, PL, RO, SD, SE, SE (European patent), SN (OAPI patent), SU*, TD (OAPI patent), TG (OAPI patent), US. Published <i>With international search report.</i>
(54) Title: MODIFIED RIBOZYMES (57) Abstract The present invention refers to an RNA molecule with catalytic activity comprising at least one modified nucleoside, wherein the hydroxy group at the 2'-position of the ribose sugar is replaced by a modifier group, selected from halo, sulfhydryl, azido, amino, monosubstituted amino and disubstituted amino groups, a process for the preparation of modified RNA molecules and the use of modified RNA molecules as therapeutic agents and biocatalysts.		

+ DESIGNATIONS OF "SU"

Any designation of "SU" has effect in the Russian Federation. It is not yet known whether any such designation has effect in other States of the former Soviet Union.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT	Austria	ES	Spain	MG	Madagascar
AU	Australia	FI	Finland	ML	Mali
BB	Barbados	FR	France	MN	Mongolia
BE	Belgium	GA	Gabon	MR	Mauritania
BF	Burkina Faso	GB	United Kingdom	MW	Malawi
BG	Bulgaria	GN	Guinea	NL	Netherlands
BJ	Benin	GR	Greece	NO	Norway
BR	Brazil	HU	Hungary	PL	Poland
CA	Canada	IT	Italy	RO	Romania
CF	Central African Republic	JP	Japan	SD	Sudan
CG	Congo	KP	Democratic People's Republic of Korea	SE	Sweden
CH	Switzerland	KR	Republic of Korea	SN	Senegal
CI	Côte d'Ivoire	LI	Liechtenstein	SU ⁺	Soviet Union
CM	Cameroon	LK	Sri Lanka	TD	Chad
CS	Czechoslovakia	LU	Luxembourg	TC	Togo
DE	Germany	MC	Monaco	US	United States of America
DK	Denmark				

Modified Ribozymes


SPECIFICATION

Certain naturally occurring ribonucleic acids (RNAs) are subject to self-cleavage. The first reported example is the cleavage of the ribosomal RNA precursor of the protozoan *Tetrahymena* (for a review see Cech, *Ann.Rev.Biochem.* 59 (1990), 543-568) which requires guanosine as cofactor. A number of examples of RNA cleavage have been subsequently discovered in viroid, virusoid and satellite RNAs (for reviews see Sheldon et al. in *Nucleic Acids and Molecular Biology* (1990) Vol. 4, pg. 227-242, ed. F. Eckstein and D.M.J. Lilley, Springer Verlag Berlin Heidelberg; Symons, *TIBS* 14 (1989), 445-450). These cleavages involve site-specific breakage of a phosphodiester bond in the presence of a divalent cation such as Mg^{2+} , generating a 5'-hydroxyl and a 2',3',-cyclic phosphodiester terminus. Sequence analysis around the site of self-cleavage of several of such RNAs has led to the identification of a common structural feature essential for cleavage which was named a "hammerhead" structure (Hutchins et al., *Nucleic Acids Res.* 14 (1986) 3627-3640). This structure consists of three helices and 13 conserved nucleotides (framed in below scheme) which form a three dimensional structure amenable to cleavage at one particular position. The self-catalyzed cleavage is normally an intramolecular process, i.e. a single RNA molecule contains all the functions necessary for cleavage. However, Uhlenbeck (*Nature* 328 (1987), 596-600) has demonstrated that this hammerhead structure does not have to be embodied in one strand but can be made up of two strands. These two strands combine to form the hammerhead structure which leads to phosphodiester bond cleavage (indicated by an arrow) in one of the strands (strand S) whereas the other (strand E) remains unaltered and can participate in many cleavage reactions. This strand meets the definitions of an enzyme and is called a ribozyme. Whereas the framed sequences (below scheme) are conserved the others may vary provided that the

03936657.092497

2

structure of base paired and the single stranded regions remains intact.



The cleavage reaction after the trinucleotide GUC has been studied in detail (Ruffner et al., Gene 82 (1989), 31-41; Fedor and Uhlenbeck, Proc.Natl.Acad.Sci. USA 87 (1990), 1668-1672). Ribozymes with new specificities have also been constructed (Haseloff and Gerlach, Nature 334 (1988), 585-591) indicating that cleavage can for example also take place after the sequences GUA, GUU, CUC, AUC and UUC.

Further examples for RNA enzymes are the hairpin RNA (Hampel et al., Nucleic Acids Res. 18 (1990), 299-304), as well as RNA containing proteins such as the telomerase (Greider and Blackburn, Nature 337 (1989), 331-337) and the RNase P (Baer et al., in Nucleic Acids and Molecular Biology (1988), Vol. 3, pp. 231-250, ed. F. Eckstein and D.M.J. Lilley, Springer Verlag, Berlin/Heidelberg).

Ribozymes are potentially of interest for use as therapeutic agents (for review see Rossi and Sarver, TIBTECH 8 (1990), 179-183). A possible strategy would be to destroy an RNA necessary for the expression of both foreign genes such as

viral genes and particular endogenous genes. This requires the construction of a RNA molecule which is able to form a hammerhead or a hairpin structure with the target RNA and to cleave this at a predetermined position. A first application to the inhibition of the HIV-1 virus by this strategy has been reported (Sarver et al., Science 247 (1990), 1222-1224). Other examples of the action of targeted hammerhead ribozymes in vivo are Cammeron and Jennings (Proc.Natl.Acad.Sci. USA 86 (1986), 9139-9143) and in vitro Cotten et al. (Mol.Cell.Biol. 9 (1989), 4479-4487).

Further, other useful catalytic properties of ribozymes are known, e.g. dephosphorylase and nucleotidyl transferase activities (see Patent Application WO88/04300). Therein RNA enzymes are disclosed which are capable of dephosphorylating oligonucleotide substrates with high sequence specificity, which distinguishes them from known protein enzymes. RNA molecules also can act as RNA polymerases, differing from protein enzymes in that they use an internal rather than an external template. Thus, various heteropolymers can be constructed by variant RNA enzyme forms. This enables the formation for example of messenger RNA molecules for particular proteins or peptides. Furthermore, Herschlag and Cech (Nature 344, (1990), 405-409) describe an RNA enzyme with DNase activity.

To be useful as a therapeutic agent the RNA enzyme has to be introduced into target cells. There are a priori two methods for delivery of the ribozyme into the target cells:

- (a) exogenous delivery of a preformed synthetic RNA;
- (b) endogenous transcription of a ribozyme-coding gene located on a plasmid.

A great disadvantage of method (a) resides in the very low stability of RNA molecules under physiological conditions due to their fast degradation by a variety of ribonuclease

enzymes present in the living cell. The disadvantages of method (b) result from the great difficulties of specifically and stably inserting a ribozyme-coding gene into the cells of higher organisms. Furthermore, the problem of degradation also occurs with in vivo synthesized RNA molecules.

Therefore the problem underlying the present invention was to provide RNA molecules comprising both catalytic activities and enhanced stability against chemical and enzymatical degradation, which can be employed as therapeutical agents or as biocatalysts in biochemical or biotechnological processes.

It was however known from a recent paper by Perreault et al. (Nature 344 (1990), 565-567) that certain modifications of the RNA enzyme, e.g. the incorporation of 2'-deoxyribo-nucleotides at a few positions of a ribozyme lead to a great impairment of the catalytic activity.

It was now surprisingly found that certain chemical modifications at the 2'-position of the ribose sugar which enhance the stability of an RNA molecule do not considerably affect and/or abolish the catalytic properties of ribozymes.

Therefore it is an object of the present invention to provide an RNA molecule with catalytic activity comprising at least one modified nucleoside, wherein the hydroxy group at the 2'-position of the ribose sugar is replaced by a modifier group, selected from halo, sulfhydryl, azido, amino, mono-substituted amino and disubstituted amino groups.

The catalytic activity of an RNA molecule according to the present invention comprises advantageously at least one of the group consisting of nucleotidyl transferase, dephosphorylase, deoxyribonuclease and sequence specific endoribonuclease activities. Preferably the catalytic

08936697-052497

5

activity comprises a sequence specific endoribonuclease activity. More preferably the RNA is a hammerhead ribozyme as described above. Especially preferred is that the ribozyme can combine with another RNA strand to form a hammerhead structure consisting of two strands, wherein the modified RNA strand is the E strand as described above.

Although a hammerhead ribozyme is especially preferred, other RNA enzymes are encompassed also by the present invention, e.g. the Tetrahymena ribozyme (Cech, Ann.Rev.Biochem. 59 (1990), 543-568) in naturally occurring form or a shortened form thereof (Zang et al., Biochemistry 27 (1988), 8924-8931), and especially the Hairpin RNA (Hampel et al., Nucleic Acids Res. 18 (1990) 299-304) or RNA containing proteins such as the RNase P (Baer et al., in Nucleic Acids & Molecular Biology (1988), Vol. 3, pp 231-250, ed. F. Eckstein and D.M.J. Lilley, Springer Verlag Heidelberg), the telomerase (Greider and Blackburn, Nature 337 (1989), 331-337).

The incorporation of a modifier group at the 2'-position of the ribose sugar appears also to be particularly useful for RNA with new functions either derived at by a procedure that depends on alternate cycles of selection (Tuerk and Gold, Science 249 (1990), 505-510; Ellington and Szostak, Nature 346 (1990), 818-822) or any other method .

The modifier group replacing the hydroxy group at the 2'-position of the ribose sugar is selected from halo, sulfhydryl, azido, amino, monosubstituted amino, and disubstituted amino groups. The halo group can be a fluoro, chloro, bromo or iodo group, wherein the fluoro group is preferred. The substituents of the substituted amino group are preferably C₁-C₃ alkyl and or hydroxyalkyl groups. Most preferably the modifier group is a halo or an unsubstituted amino group.

6

The incorporation of a modifier group at the 2'-position of the ribose sugar significantly increases the RNA stability against enzymatic cleavage. It was confirmed that 2'-deoxy-2'-fluorouridine and 2'-deoxy-2'-aminouridine incorporated at specific positions of a ribozyme prevented cleavage at these positions by RNase A (see Fig. 3 + 4). This enzyme cleaves at the 3'-position of pyrimidine nucleosides and requires the presence of the 2'-hydroxyl group (Uchida and Egami (1971), in The Enzymes Vol. IV, 3rd ed. (Ed. P.D. Boyer), Academic Press, pp. 205-250). Furthermore, results obtained with polynucleotides show that the presence of the 2'-amino function also slows down degradation by unspecific nucleases such as snake venom phosphodiesterase (Hobbs et al., Biochemistry 12 (1973), 5138-5145). The presence of a 2'-halogroup also inhibits nucleases such as DNase I (Hobbs et al., Biochemistry 11 (1972), 4336-4344). Results with polynucleotides also show that the presence of a halogen at the 2'-position of a nucleotide protects against the action of human serum nucleases (Black et al., Virology 48 (1972) 537-545). Thus, protection by incorporation of a modified ribose sugar according to the present invention will be rather general and not be restricted to RNases which depend on the presence of the 2'-hydroxyl group.

In a ribonucleic acid the ribose sugar is linked to a nucleotide base via a N-glycosidic bond. The nucleotide base, which is attached to the modified ribose sugar in an RNA molecule of the present invention is selected from the group consisting of bases naturally occurring in RNA and substituted bases. Preferably the modified ribose is attached to adenine, guanine, cytosine and/or uracil, which are the natural bases in RNA. The modified ribose, however, can also be attached to substituted bases, preferably selected from the group consisting of xanthine, hypoxanthine, 2,6-diamino purine, 2-hydroxy-6-mercaptapurine and purine bases substituted at the 6-position with sulfur or pyrimidine bases substituted at the

7

5-position with halo or C₁-C₅ alkyl groups, especially bromo or methyl groups. Most preferably the nucleotide base attached to the modified ribose sugar is uracil.

The modified nucleosides which are incorporated into a RNA molecule are either previously described compounds or compounds which can be prepared in analogy to known compounds. The mostly preferred fluoro and amino analogs of ribonucleosides have been described previously, 2'-deoxy-2'-fluorocytidine (Doerr & Fox, J.Org.Chem. 32 (1967), 1462; Mengel & Guschlbauer, Ang.Chem. 90 (1978), 557-558); 2'-deoxy-2'-fluoroadenosine (Ikehara & Miki, Chem.Pharm.Bull. 26 (1978), 2449-2453), 2'-deoxy-2'-fluorouridine (Codington et al., J.Org.Chem. 29 (1964), 558-564), 2'-deoxy-2'-aminouridine (Verheyden et al., J.Org.Chem. 36 (1971), 250) and 2'-deoxy-2-aminocytidine (Verheyden et al. (1971) supra). For the synthesis of some of these compounds more recent synthetic procedures can be employed. The 2'-deoxy-2'-fluorocytidine can be prepared from 2'-deoxy-2'-fluorouridine by the method of Sung (J.Org.Chem. 47 (1982), 3623-3628). The same method can be used for the transformation of 2'-deoxy-2'-azidouridine to 2'-deoxy-2'-azidocytidine (Verheyden et al. (1971), supra). The latter can be reduced to 2'-deoxy-2'-aminocytidine by the method of Mungall et al. (J.Org.Chem. 40 (1975), 1659).

The synthesis of the 2'-deoxy-2'-fluoronucleoside 5'-triphosphates can be carried out either according to Ludwig (Acta Biochim. et Biophys. Acad.Sci.Hung. 16 (1981), 131-133) or Ludwig and Eckstein (J.Org.Chem. 54 (1989), 631-635). The 2'-deoxy-2'-aminouridine and -cytidine 5'-triphosphates can be prepared as described for the diphosphates by Hobbs et al. (Biochemistry 12 (1973), 5138-5145) with the modification that pyrophosphate is employed instead of phosphate. The 2'-deoxy-2'-fluoronucleoside 3'-phosphoramidites for automated oligonucleotide synthesis can be prepared by the method of

Sinha et al. (Nucleic Acids Res. 12 (1984), 4539-4557). For the synthesis of the corresponding 2'-amino derivatives, the amino group can be protected by trifluoroacetylation according to Imazawa and Eckstein (J.Org.Chem. 44 (1979), 2039-2041).

An RNA according to the present invention comprises at least one modified nucleoside, wherein the hydroxy group at the 2'-position of ribose is replaced by a modifier group. A preferred embodiment of the present invention is an RNA molecule wherein all nucleosides of one kind (i.e. adenosine or guanosine or cytidine or uridine) contain modified sugars, while the remaining three nucleosides contain unmodified sugars. More preferably the modified nucleoside is pyrimidine nucleoside, i.e. cytidine or uridine or a substituted derivative thereof. Most preferably the modified sugar is 2'-fluoro ribose or 2'-amino ribose. Examples for this embodiment are the hammerhead ribozymes E2 and E3, which were derived from a hammerhead ribozyme E1 described by Fedor and Uhlenbeck (Proc.Natl.Acad.Sci. USA 87 (1990), 1668-1672). In E2 all uridine residues are replaced by 2'-deoxy-2'-fluoro-uridine and in E3 all uridine residues are replaced by 2'-deoxy-2'-aminouridine residues. The ribozymes E2 and E3 show a ribonuclease activity which is comparable to that of the unmodified RNA molecule E1.

In a further preferred embodiment of the present invention all nucleosides of two different kinds contain modified sugars, while the remaining two nucleosides contain unmodified sugars. More preferably all pyrimidine nucleosides, i.e. cytidine and uridine (including substituted pyrimidine bases) contain modified sugars, most preferably 2'-fluoro or 2'-amino ribose derivatives.

Still a further embodiment of the present invention is an RNA molecule comprising a modification pattern (i.e. which

nucleosides are modified and which are unmodified) which is designated as a so-called "selective modification pattern". An RNA comprising selective modification pattern is a molecule wherein nucleosides at specifically selected locations can be modified while nucleosides at other specifically selected locations can be unmodified. For instance, nucleotides which are known to be hypersensitive sites for ribonucleases (e.g. due to the secondary structure of the RNA molecule) should be modified to achieve an extended life time of the RNA molecule. An example for a ribonuclease-hypersensitive site is provided at position 21 of ribozyme E1. As shown in Fig. 3 the RNA molecule is cleaved at this position by RNase A with very high intensity.

Still a further embodiment of the present invention is a RNA molecule additionally comprising at least one modified internucleotidic phosphodiester linkage. Examples for suitable modified phosphodiester linkages are methyl phosphonate groups or phosphorothioate groups, the latter being especially preferred. Preferably at least the 5'-terminal phosphodiester linkage and/or the 3'-terminal phosphodiester linkage of the RNA molecule is modified. More preferably the 5'-terminal phosphodiester linkage and the last three 3'-terminal phosphodiester linkages are modified.

It was found, that the presence of modified internucleotidic linkages alone was not sufficient to provide increased stability against degradation. However, the combined presence of 2'-modified ribose sugars together with modified internucleotidic linkages showed an additive stability enhancing effect. A more than fiftyfold increase in stability conferred by both modifications outweighs the decreased efficiency in cleavage compared to a unmodified ribozyme.

/0

The synthesis of RNA molecules having modified internucleotidic linkages is preferably accomplished by means of chemical synthesis as described below.

A further object of the present invention is a process for the synthesis of an RNA molecule with catalytic activity, comprising:

incorporating into an RNA chain at least one modified nucleoside, wherein the hydroxy group at the 2'-position of the ribose sugar is replaced by a modifier group, selected from halo, sulfhydryl, azido, amino, monosubstituted amino and disubstituted amino groups.

Preferably the modifier group is a halo (i.e. a fluoro, chloro, bromo or iodo group) or an amino group, more preferably a fluoro or an unsubstituted amino group. It should be noted, that the process of the present invention also comprises the synthesis of an RNA molecule wherein nucleotides with at least two different modifier groups (e.g. fluoro and amino groups) are incorporated.

There are preferably two approaches for the incorporation of these modified nucleotides into RNA. One is by automated chemical synthesis of RNA molecules which can be carried out on solid support or in solution, preferably with the respective phosphoramidites or H-phosphonates as nucleotide precursors, the other involves enzymatic incorporation by transcription of appropriate nucleic acid, preferably DNA templates with a nucleic acid polymerase using the 2'-modified nucleoside 5'-triphosphates. By means of automated chemical synthesis RNA molecules comprising modified internucleotidic linkages may be prepared by incorporating the corresponding chemically modified nucleotide precursors such as the methyl phosphonate derivatives into the RNA chain. For the incorporation of phosphorothioate linkages the standard phosphoramidite derivatives are used as nucleotide

//

precursors. After the coupling of the precursor to the RNA chain has taken place the subsequent oxidation step, however, is not performed with iodine, as in the case of non-modified linkages, but with sulfur or a sulfurating agent, whereby the phosphorothioate group is obtained.

The chemical synthesis of modified RNA molecules is carried out in analogy to that of unmodified RNA or DNA molecules, which is known in the art. More specifically the RNA synthesis is carried out by chemical synthesis on solid support involving the stepwise addition of the respective nucleotide precursors. After having synthesized an RNA product of the desired length, the RNA is removed from the solid support by conventional means and purified, preferably by gel electrophoresis. Alternatively the chemical RNA synthesis can also be carried out by any other known technique without using a solid support. E.g. the RNA can be synthesized in a soluble form and subsequently purified by means known in the art.

When the 2'-amino modifier group is incorporated into the RNA chain it has to be protected before the phosphorylation reaction (i.e. the preparation of the nucleotide precursor) and for subsequent use in the coupling reactions. For this purpose the trifluoroacetyl group is preferably used as a protecting group, because it is stable during the cycles of synthesis on the nucleic acid synthesizer and is removable under the conventional treatment with ammonia.

Alternatively the synthesis of the RNA chain can be carried out by transcription from a nucleic acid template by an appropriate nucleic acid polymerase. Preferably the template is a DNA template and the nucleic acid polymerase is a DNA dependent RNA polymerase. More preferably the DNA dependent RNA polymerase is selected from the group consisting of T7, T3 and SP6 polymerases, which are highly processive

bacteriophage RNA polymerases. Among these polymerases the T7 RNA polymerase is most preferred. The DNA template for the synthesis of a modified RNA molecule according to the present invention is preferably constructed by inserting a synthetic DNA fragment coding for the desired RNA sequence into an appropriate site of a plasmid, wherein said plasmid comprises a promoter for the respective RNA polymerase and said site is located at such a position of the plasmid, so that the synthetic DNA fragment can be transcribed from said promoter. The transcription reaction is advantageously carried out as a run off transcription. Alternatively, synthetic DNA fragments may serve as transcription templates without a plasmid portion. Those fragments, however, should contain a transcription start signal, which allows an effective RNA synthesis.

The polymerisation of 2'-deoxy-2'-halo nucleotides, e.g. 2'-deoxy-2'-fluorouridine, -cytidine, -adenosine, -guanosine and the respective chloro compounds, is preferably carried out by T7 polymerase in the presence of Mn^{2+} ions as cofactor. Alternatively, the polymerisation of 2'-aminonucleotides, e.g., 2'-deoxy-2'-aminouridine 2'-deoxy-2'-aminocytidine, 2'-deoxy-2'-aminoadenosine, and 2'-deoxy-2'-aminoguanosine, is preferably carried out in the presence of Mg^{2+} ions as cofactor.

From the experimental data of the following examples it is evident that the presence of 2'-deoxy-2'-fluorouridine and 2'-deoxy-2'-aminouridine in a hammerhead ribozyme do not abolish catalytic activity. This is qualitatively shown in Fig. 3 for the presence of the 2'-fluorouridine in the substrate part and quantitatively in Table 1 for various other enzyme/substrate pairs. It is true that all the modifications resulted in an increase in the K_m -value which was most pronounced for the amino substitution. However, this perturbation of the active structure lies well within the

range of K_m variation observed for hammerhead systems with different base composition (Fedor & Uhlenbeck, supra). In addition, very surprisingly the incorporation of a single 2'-aminouridine immediately 5' of the site of cleavage in the substrate increased the k_{cat} markedly (table 1), so that it is conceivable to produce ribozymes of enhanced activity by the selective introduction of 2'-modified nucleosides at specific sites. These results definitely show that there is no requirement for the presence of 2-hydroxyl groups throughout the enzyme part of the hammerhead structure for catalytic activity but that the modifications according to the present invention are tolerated at least in certain positions. In contrast, the incorporation of only 15 % 2'-deoxynucleotides into a hammerhead ribozyme is reported to decrease the catalytic efficiency by two orders of magnitude, while not affecting the K_m (Perreault et al. (1990), supra). Since the rate of cleavage is determined by the angle of attack of the 2'-hydroxyl on the phosphorus at the site of cleavage, it is greatly influenced by the overall structure of the hammerhead system. Thus, the observed influence of 2'-modifications on the rate supports the notion that the 2'-fluoro analogs adopt a structure more similar to that of ribonucleotides than that of deoxyribonucleotides. This apparently also holds for the amino analogs. The other 2'-modified nucleosides according to the present invention exhibit similar catalytic activity.

A still further object of the present invention is the use of RNA molecules with catalytic activity comprising at least one modified nucleotide, as therapeutic agents, especially for the specific cleavage of viral or other foreign genetic material or transcripts from viral or other foreign genetic material, or as biocatalyst in biochemical or biotechnological processes. For these purposes the RNA molecules of the present invention seem to be more suitable than their unmodified analogs, because of their increased stability against chemical and/or enzymatical cleavage.

14

The present invention shall be further illustrated by the following examples in combination with Figs. 1 - 7. These examples however are not intended to narrow the scope of the present invention.

- Fig. 1 shows autoradiographs of T7 RNA polymerase run off transcripts of the plasmid pUCRS after PAGE.
- Fig. 2 shows an autoradiograph of T7 RNA polymerase run off transcripts of the plasmid pUCRE containing 2'-aminouridine after PAGE.
- Fig. 3 shows an autoradiograph of partial Ribonuclease A cleavage of 5'-labeled run off transcripts E1 and E2 separated by PAGE.
- Fig. 4 shows an autoradiograph of the total degradation of S1 and S2 by RNase A.
- Fig. 5 shows an autoradiograph of the cleavage of 2'-fluorouridine and ^{32}P -AMP containing substrate S3 by ribozyme E1.
- Fig. 6 shows an Eadie-Hofstee plot of the ribozyme reaction of E2 with S1.
- Fig. 7 shows an Lineweaver-Burk plot of the ribozyme reaction of E3 with S1.
- Fig. 8 shows the organisation of the HIV-1 sequence cloned into pOTH33.
- Fig. 9 shows the nucleotide sequence of the ribozyme RE115.

EXAMPLES

Example 1

Preparation of oligoribonucleotides

Automated synthesis of oligoribonucleotides: Automated oligoribonucleotide synthesis was carried out with an Applied Biosystems 380B DNA Synthesizer on a 1 μ mol scale using the monomeric ribonucleotide phosphoramidites supplied by Milligen/Bioscience. Control pore glass columns with the ribonucleoside coupled to it were either from Milligen/Bioscience or Peninsula. The oligomers were worked up according to the specifications of the supplier of the ribonucleotide phosphoramidites (Milligen/Bioscience). After removal of the protecting groups the oligoribonucleotides were concentrated by spin dialysis on Amicon filter membranes centricon 10 and ethanol precipitated. The dried pellets were taken up in 50 μ l water and subjected to PAGE. Bands were visualized by UV shadowing, cut out and the RNA was isolated by eluting at 37°C overnight in buffer (0.25 M ammonium acetate, 10 mM TRIS/HCl pH 8.0, 1 mM EDTA) (Fedor & Uhlenbeck, PNAS USA 87 (1990), 1668-1672). Concentrations were determined using the extinction coefficient per nucleotide of 6600 $M^{-1}cm^{-1}$ given in the literature (Fedor & Uhlenbeck 1990). Aqueous solutions of the oligoribonucleotides were stored at -20°C.

Construction of plasmids containing templates for run off transcription:

The following oligodeoxynucleotides were synthesized for the plasmid construction by the phosphoramidite method with an Applied Biosystems 380B DNA synthesizer:

RS2-T, 5'-d(GATATCCTGACTCCCTATAGTGAGTCGTATTA)-3'; RS2-C, 5'-d(TAATACGACTCACTATAGGGAGTCAGGATATCTGCA)-3'; RE1-T, 5'-d(GGAGTTTCGGCCTAACGGCCTCATCAGAGGACCCTATAGTGAGTCGTATTA)-3' and RE2-C, 5'-d(TAATACGACTCACTATAGGGTCCTCTGATGAGGCCGTTAGGCCGAACTCCTGCA)-3'.

16

Preparation of ribozyme pUCRS and pUCRE16 clones:

The commercially available plasmid pUC19 was cleaved in a one step reaction using the restriction enzymes Iso-SacI and PstI. The DNA was then purified by 2 % agarose gel electrophoresis followed by electroelution using a Centricon 30 and the electroelution apparatus supplied by Amicon. The oligonucleotide primer pairs, RE1-T and RE2-C (ribozyme enzyme), or RS2-T and RS2-C (ribozyme substrate) were phosphorylated as previously described (Taylor et al., Nucleic Acids Res. 13 (1985), 8749-8764). These oligonucleotide pairs were used for cloning of the T7 promoter along with either the DNA sequence for the ribozyme yielding pUCRE16 or the ribozyme substrate yielding pUCRS according to the procedure of King & Blakesley (Focus 8 (1986), 1-3). After transformation of competent cells (Olsen & Eckstein, PNAS USA 87 (1990), 1451-1456) white colonies were screened for the presence of a second AvaII site in the case of the pUCRE16 or a unique EcoRV site for pUCRS. The sequence of the purified double-stranded DNA from each clone was determined by the procedure of Olsen and Eckstein (Nucleic Acids Res. 17 (1989), 9613-9620).

T7 RNA polymerase run off transcripts:

T7 RNA polymerase run off transcripts were synthesized on a 150 µl to 500 µl scale by adapting the procedure given by Milligan and Uhlenbeck (Meth. in Enzymology 180A (1989), 51-62). Transcription reactions were run in 40 mM TRIS pH 8.0, 1mM spermidine, 5 mM DTT, 0.01 % Triton x-100, 20 mM MgCl₂, 2.5 mM nucleotides, 200 nM DNA template, 0.2 U/µl human placental RNase inhibitor, and 100 U/µl T7 RNA polymerase. When 2'-deoxy-2'-fluoronucleoside triphosphates were employed, the MgCl₂ was replaced by 20 mM MnCl₂. Reactions were run at 37°C for 3 hours. Transcripts were purified by PAGE as described above. Aqueous solutions of the oligoribonucleotides were stored at -20°C.

17

Figure 1 shows autoradiographs of T7 RNA polymerase run off transcriptions of pUCRS after PAGE. A: The transcription was performed on a 150 μ L scale in the presence of 20 mM MgCl_2 and 2.5 mM each of the four nucleoside triphosphates at 37°C for 3 h. The reaction mixture was dephosphorylated with alkaline phosphatase and 5'- ^{32}P -labeled by reaction with polynucleotide kinase and [γ - ^{32}P]-ATP. The labeled transcription mixture was subjected to PAGE. B: The transcription was performed on a 150 μ L scale at 37°C for 3 h in the presence of 20 mM MnCl_2 , 0.5 mM ATP, 25 μCi [α - ^{32}P]-ATP, 2.5 mM CTP and GTP, and 2.5 mM 2'-fluorouridine triphosphate. The transcription mixture was directly subjected to PAGE. The asterisks mark ^{32}P -labeled phosphates. 'N' denotes any nucleotide added by T7 RNA polymerase beyond the full length of the template DNA (c.f. Milligan and Uhlenbeck, Meth.in Enzymology 180A (1989), 51-62).

Figure 2 shows an autoradiograph of T7 RNA polymerase run off transcripts of pUCRE 16 containing 2'-aminouridine after PAGE. Lane 1: 2'-aminouridine containing 34-mer marker E3, synthesized chemically. Lane 2: The transcription was performed on a 150 μ l scale at 37°C for 3 h in the presence of 20 mM MgCl_2 , 60 μCi [α - ^{32}P]ATP, 1 mM CTP and GTP, and 1 mM 2'-aminouridine triphosphate. The transcription mixture was directly applied PAGE.

Preparation of oligoribonucleotides: The following oligoribonucleotides were prepared

a.) by run off transcription (sequences given without the 5'-triphosphate):

E1, 5'-GGGUCCUCUGAUGAGGCCGUUAGGCCGAAACUCC-3';

E2, 5'-GGG(2'-FU)CC(2'-FU)C(2'-FU)GA(2'-FU)GAGGCCG(2'-FU)(2'-FU)AGGCCGAAAC(2'-FU)CC-3' and

E3, 5'-GGG(2'-NH₂U)CC(2'-NH₂U)C(2'-NH₂U)GA(2'-NH₂U)GAGGCCG(2'-NH₂U)(2'-NH₂U)AGGCCGAAAC(2'-NH₂U)CC-3';

18

S1, 5'-GGGAGUCAGGAU-3'; S3, 5'-GGGAG(2'-FU)CAGGA(2'-FU)-3' and S4, 5'-GGGAGU(2'-FC)AGGAU-3'

b.) by chemical synthesis: The oligoribonucleotides E1, E2, E3, S1 and S2, 5'-GGGAG(2'-NH₂U)CAGGAU-3'.

5'-³²P-labeling of oligoribonucleotides:

Oligoribonucleotides obtained from run off transcriptions were dephosphorylated by treatment with RNase free bovine alkaline phosphatase, purified by Quiagen tip-20 columns according to the protocol given by the manufacturer (Diagen Inc.) and treated with T4 polynucleotide kinase and γ -³²P-ATP. Labeled oligoribonucleotides were purified by PAGE.

Example 2:

Digestion of oligoribonucleotides with RNase A

Partial digestion of oligoribonucleotides with RNase A: The oligoribonucleotides E1 and E2 were subjected to RNase A digestion after 5'-³²P labeling according to the procedure of Donis-Keller et al. (Nucleic Acids Res. 4 (1977), 2527-2538) with the following changes. Approximately 25 μ moles of 5'-³²P-labeled RNA was added to 50 μ l buffer containing 7 M urea, 50 mM EDTA, 0.04 % bromophenol blue, 0.04 % xylene cyanol FF and 0.25 mg/ml tRNA on ice. The RNA was then equally divided into 5 labeled tubes, heated to 50°C for 5 min and then immediately placed on ice. Ribonuclease A, 2 μ l (2 X 10⁻⁴ units), was added to the first tube and mixed using the pipette. The enzyme was then successively 5 fold diluted into three additional tubes using a new pipette tip after each transfer from one tube to the next. The fifth tube was a control sample to which no enzyme was added. All tubes were then incubated at 50°C for 5 min, placed on ice and analysed by PAGE.

Total degradation of oligoribonucleotides by RNase A: The oligoribonucleotides S1 and S2 were digested with RNase A after 5'-³²P labeling according to the following protocol: The oligomer (8.5 μ M in a final volume of 20 μ l) was reacted with 1.25×10^{-3} Units of RNase A in buffer containing 50 mM TRIS/HCl pH 7.5 and 10 mM MgCl₂ for 10 min at 37°C. Products were analyzed by PAGE.

Figure 3 shows an autoradiograph of partial Ribonuclease A cleavage of 5'-labeled run off transcripts E1 and E2 separated by PAGE. Conditions as described before. The numbered lanes correspond to 1) no enzyme added, 2) 2×10^{-4} units RNase A, 3) 3×10^{-5} units RNase A, 4) 8×10^{-6} units RNase A, 5) 16×10^{-7} units RNase A. Base numbering was facilitated by counting the bands of a Mn²⁺ mediated cleavage of the unmodified transcript (10 μ moles RNA heated to 90°C for 3 min in 10 mM MnCl₂). The circled numbers indicate the bands expected from RNase-A susceptible cleavage positions. Arrows indicate the bands that arise from cleavage 3' to uridine and which are absent in the lanes where 2'-fluorouridine containing ribozyme was cleaved.

Figure 4 shows an autoradiograph of the total degradation of S1 and S2 by RNase A after PAGE. Details of the reaction are as described above. Lane 1: total digestion of 12-mer S2; lane 2: total digestion of 12-mer S1; lane 3: cleavage ladder of the 34-mer E1 by reaction with 20 mM MnCl₂ at 90°C for 3 min as a length standard. The product of cleavage of S2 is 1 nucleotide longer than that of S1 indicating the presence of 2'-aminouridine at position 6.

Example 3

Cleavage of oligoribonucleotide substrates by ribozymes

Determination of cleavage kinetics: The cleavage reactions were performed by a procedure adapted from Fedor and Uhlenbeck (1990), supra). Stock solutions of the ribozyme enzyme (typically 20 μ L final volume, 100 nM final concentration, 50 mM TRIS/HCl, pH 7.5) and substrate oligonucleotide (typically 40 μ L, 2 μ M final concentration) were heated separately at 90°C for 1 min and cooled to room temperature for 15 min prior to the addition of divalent metal ion ($MnCl_2$ or $MgCl_2$, 10 mM final concentration). These stocks were incubated separately at 25°C for 15 min prior to initiation of the cleavage reactions. The reactions were started by adding enzyme to substrate (50 mM TRIS/HCl, pH 7.5, 20 μ L final volume, $MgCl_2$, 10 mM final concentration), with typical concentrations of 10 nM enzyme and between 50 and 5000 nM substrate. At set times 10 μ L aliquots were transferred into 10 μ L urea stop mix and subjected to PAGE. Autoradiographs were analyzed on an LKB ULTROSAN XL laser densitometer.

In the investigated hammerhead ribozyme system a 12-mer substrate oligonucleotide (designated as S) is cleaved by a 34-mer enzyme oligonucleotide (designated as E) at the 3'-position of cytidine-7 as indicated by the arrow in the structure in the Introduction. This cleavage generates a heptamer with a 2'-3'-cyclic phosphate terminus (product 1) and a pentamer with a 5'-hydroxyl terminus (product 2) (Ruffner et al, Gene 82 (1989), 31-41). We observed these types of cleavage products not only with the oligoribonucleotides E1 and S1, but also with the 2'-fluorouridine-containing substrate S3 (Fig.5). As expected, the substrate oligonucleotide S4, containing a 2'-fluorocytidine at the position of cleavage was not cleaved under identical conditions. These two reactions contained 2'-fluorouridine in the substrate oligonucleotide.

However, potentially more interesting for future applications is the question whether the presence of this modification in the enzyme part of the ribozyme will interfere with its catalytic activity. Thus, the reaction of the 2'-fluorouridine-containing ribozyme E2 with the unmodified substrate S1 was investigated. Indeed, the gel analysis indicated that the substrate was cleaved with similar efficiency as the pair E1 and S1. The catalytic constants of the 2'-fluorouridine-containing ribozyme E2 were determined (Fig. 6) and compared to those of the unmodified ribozyme E1. This comparison reveals that the second order rate constant for the former ($k_{cat}/K_m = 0.0026 \text{ nM}^{-1}$) is one order of magnitude smaller than that of the latter ($k_{cat}/K_m = 0.023 \text{ nM}^{-1}$) (Fedor & Uhlenbeck (1990), supra) (Table 1). This decrease in catalytic efficiency is primarily due to a decrease in the rate of cleavage, whereas the K_m values for both ribozymes is nearly identical. This reduced rate of cleavage, however, lies well within the range of cleavage efficiencies observed for various hammerhead systems with different base compositions (Fedor & Uhlenbeck (1990), supra). Hammerhead ribozyme reactions can be carried out with MgCl_2 as well as with MnCl_2 as metal ion cofactor, where the half life of cleavage is decreased in the presence of the latter cofactor by about 10 fold (Uhlenbeck, Nature 328 (1987), 596-609). Such a decrease in the half life of the substrate under cleavage conditions upon switching from Mg^{2+} to Mn^{2+} was also observed for the reaction of 2'-fluorouridine-containing enzyme E2 with substrate S1. Thus the metal ion requirement for the cleavage reaction is not altered by the incorporation of 2'-fluoronucleotide analogs.

The effect of the presence of 2'-aminouridine in the ribozyme was also investigated. When the 2'-aminouridine containing ribozyme E3 is reacted with nonmodified substrate S1, the catalytic efficiency drops an order of magnitude to $k_{cat}/K_m = 0.0015 \text{ nM}^{-1}$. This decrease in efficiency is clearly due to a

22

higher K_m , while the k_{cat} remains almost unaltered. Thus, the overall efficiency of the 2'-aminouridine ribozyme is comparable to the one of the 2'-fluorouridine containing ribozyme. In the complementary reaction of the nonmodified ribozyme E1 with the selectively 2'-aminouridine modified substrate S2 the catalytic efficiency is increased compared to the above reaction to $k_{cat}/K_m = 0.0063 \text{ nM}^{-1}$. This effect is entirely due to an increase in k_{cat} . This trend is even more pronounced in the reaction of the 2'-aminouridine containing ribozyme E3 with S2, where the catalytic efficiency is increased to $k_{cat}/K_m = 0.011 \text{ nM}^{-1}$, again mainly due to an increased k_{cat} . The kinetic parameters for all of the above reactions are summarized in Table 1.

Table 1:

Kinetic constants of 2'-modified nucleotide-containing ribozymes.^a

Enzyme	Substrate	k_{cat} (min^{-1})	K_m (nM)	k_{cat}/K_m ($\text{nM}^{-1} \text{ min}^{-1}$)
E1 (nonmod.)	S1 (nonmod.)	3.0	140	0.023
E2 (2'-FU)	S1 (nonmod.)	0.8	300	0.0026
E3 (2'-NH ₂ U)	S1 (nonmod.)	2.3	1500	0.0015
E3 (2'-NH ₂ U)	S2 (2'-NH ₂ U)	19.0	1800	0.011
E1 (nonmod.)	S2 (2'-NH ₂ U)	10.0	1600	0.0063

^a Kinetic constants were determined from Eadie-Hofstee plots of cleavage reactions run with 10 nM ribozyme and with substrate concentrations ranging from 50 nM to 1200 nM.

Thus, the herein compiled kinetic data shows that while the cleavage efficiency of 2'-fluoro- and 2'-aminouridine modified ribozyme is somewhat reduced, it is still within the

range of variations observed for hammerhead systems of different base composition. It also becomes evident that it is possible to increase the catalytic efficiency by selectively introducing 2'-modifications at specific positions. While the latter effect was demonstrated for the substrate oligoribonucleotide, it is anticipated that a similar influence on catalysis can be found for selective modifications in the enzyme.

Figure 5 shows an autoradiograph of the cleavage of 2'-fluorouridine and ^{32}P -AMP-containing substrate S3 by ribozyme E1. The cleavage reaction was performed in the presence of 10 mM MgCl_2 in 50 mM TRIS/HCl, pH 7.5 on a 40 μl scale at 25°C. The concentration of E1 and S3 was 2.5 μM and 7.5 μM , respectively. All other details are as described above (c.f. Determination of Cleavage Kinetics). At the indicated times 10 μl aliquots were transferred into 10 μl water and 10 μl urea stop mix prior to PAGE. Lane 1: reaction after 0.5 min; lane 2: reaction after 15 min; lane 3: reaction after 30 min. The asterisks mark ^{32}P -labeled phosphates.

Figure 6 shows an Eadie-Hofstee plot of the ribozyme reaction of E2 with S1. The cleavage reaction were performed on a 20 μl scale in the presence of 10 mM MgCl_2 with a 10 nM concentration of E2 and concentrations of S1 of 50 nM, 100 nM, 200 nM, 400 nM, 500 nM, and 700 nM. After 7 min 10 μl aliquots were transferred into 10 μl water and 10 μl urea stop mix prior to PAGE. It was established previously that these time points fall within the linear range of initial velocities. The autoradiographs were evaluated by integration of their optical density on a laser densitometer.

Figure 7 shows an Lineweaver-Burk plot of the ribozyme reaction of E3 with S1. The cleavage reactions were performed on a 20 μl scale in the presence of 10 mM MgCl_2 with a 10 nM

concentration of E3 and concentrations of S1 of 50 nM, 100 nM, 200 nM, 400 nM, 500 nM and 700 nM. All other details are as in Fig. 6.

Example 4

Cleavage of HIV-1 LTR RNA using ribozymes

Plasmid Construction: A plasmid, pOTH33, was constructed by cloning the HIV-1 sequence from position -525 to 386 (according to the sequence numbering by Ratner et al., Nature 313 (1985), 277-284) into the commercially available plasmid pSPT19 (Pharmacia). The HIV sequence is under transcriptional control of a T7 promotor (T7). A diagrammatic view of the HIV insertion in pOTH33 is given in Fig. 8. The HIV-1 LTR region consists of the U3 region, the R region and the U5 region. It is flanked on its 5'-end by the polypurine tract and on its 3'-end by the primer binding site (PBS), the leader sequence and a part of the gag gene. The arrows at position -525 and 386 indicate the restriction sites used for the construction of pOTH33. The arrow at position 115 shows the site for ribozyme mediated cleavage.

RNA of HIV-1 from position -525 to 386 comprising the long terminal repeat sequence from nucleotide -453 to 182 was obtained by run-off transcription of EcoRI cleaved plasmid pOTH33 (100 ng/ μ l DNA template, 10 mM DTT, 500 μ M of each rNTP, 50 mM Tris-Cl pH 7.5, 2 mM spermidine, 6 mM $MgCl_2$, 2 μ Ci/ μ l [α - 32 P]-ATP, 50 U/ μ l RNase inhibitor and 15 U/ μ l T7 RNA polymerase, 2 h at 4°C) and subsequent incubation of the reaction mix with DNaseI (1 U/ μ l, 10 min at 37°C) (RNase free) and phenol-chloroform extraction. The obtained RNA was designated as LTR RNA.

Position 115 of the HIV-1 LTR RNA containing the potential cleavage site GUC was chosen as a target for ribozyme

catalyzed cleavage. Hammerhead ribozymes targeted against this site were chemically synthesized. The nucleotide sequence of the unmodified hammerhead enzyme RE115 is given in Fig. 9.

Cleavage Kinetics with LTR RNA: k_{cat}/K_m values were determined under single turnover conditions. Ribozymes were preincubated at 75°C for 1 min in the presence of 50 mM Tris-Cl pH 7.5 followed by 5 min of incubation at 37°C. $MgCl_2$ was added to a final concentration of 10 mM and the solutions were again incubated for 5 min at 37°C. LTR RNA was directly used as an aqueous solution. The reaction mixture (10 μ l) contained between 20 nM and 1 μ M ribozyme, 50 mM Tris-Cl pH 7.5 and 10 mM $MgCl_2$. The reaction was started by addition of LTR RNA to a final concentration of 10 nM. After 1 hour at 37°C the reaction was stopped by addition of 10 μ l stop mix and analysed by 4 % PAGE (40 cm long, 8 M urea). After 1 h electrophoresis at 50 W followed by autoradiography the fraction of noncleaved LTR RNA was determined by laser scanning densitometry. k_{cat}/K_m values were obtained by plotting the remaining fraction of LTR RNA (Frac S) against the ribozyme concentration ([RE]) according to the following equation:

$$k = \frac{\ln(\text{FracS})}{t} = [\text{RE}] \frac{k_{cat}}{K_m},$$

where k is the observed reaction rate and t is the reaction time of 1 h.

In order to investigate the influence of chemical modifications on the catalytic efficiency of a ribozyme several analogs of RE115 containing 2'-fluoro or 2'-deoxy substitutions and/or terminal phosphorothioate linkages were synthesized. Whereas 2'-fluorocytidine substitutions had no

effect on the catalytic efficiency [Table 2, RE115(FC)], 2'-fluorouridine substitutions caused a fivefold decrease of k_{cat}/K_m [Table 2, RE115(FU)]. One 5'-terminal phosphorothioate group in combination with three 3'-terminal phosphorothioate groups diminished the catalytic efficiency only negligibly [Table 2, RE115(S)]. The same was true for the combination of terminal phosphorothioate linkages together with 2'-fluorouridine substitutions, where no further decrease in k_{cat}/K_m was observed [Table 2, RE115(FU),S)]. Substituting all pyrimidine ribonucleotides by their 2'-fluoro analogs and introducing the four phosphorothioate linkages decreased the catalytic efficiency only sevenfold compared to the unmodified ribozyme [Table 2, RE115(FC,FU,S)]. In contrast substitutions of all pyrimidine ribonucleotides by their 2'-deoxynucleoside analogs combined with phosphorothioates resulted in a decrease of k_{cat}/K_m by a factor of 50 [Table 2, RE115(dC,dU,S)]. Thus, RE115(dC, dU,S) is some 7 times less efficient than RE115(FC,FU,S).

TABLE 2

Influence of chemical modifications on the Cleavage of LTR RNA by RE115

Ribozyme	k_{cat}/K_m , M ⁻¹ s ⁻¹	k_{cat}/K_m , relative
RE115	500	1
RE115(S)	360	0,72
RE115(FC) ¹	490	0,98
RE115(FU) ¹	89	0,18
RE115(FU,S) ¹	59	0,12
RE115(FC,FU,S) ¹	69	0,14
RE115(dC,dU,S) ²	10	0,020

¹ Examples of the present invention

² Comparative example

Example 5

Stability of oligoribonucleotides

The ribozymes of Example 4 were examined for their stability against nuclease digestion.

Test conditions:

Molt 4 clone 8 cells (kindly supplied by E. Jurkiewicz, Deutsches Primatenzentrum, Göttingen) grown in medium RPMI 1640 to a cell density of about 10^6 cells/ml were centrifuged at 1000 g for 5 min in a Heraeus Minifuge. 5'- 32 P-labeled ribozymes were pre-heated for 1 min at 90°C, chilled on ice, added to the cell supernatant to a final concentration of 300 nM and incubated at 37°C. Aliquots were taken at the indicated time points and analysed by 20 % PAGE containing 8 M urea followed by autoradiography.

Results:

More than 80 % of RE115 was degraded after 2 min incubation in the cell supernatant as indicated by denaturing PAGE. For RE115(S) similar results were obtained. However, no degradation of RE115(FC,FU,S) within 1 hour was observed. A comparison with the rate of degradation of the unmodified ribozyme indicates that the combination of 2'-modified pyrimidine nucleosides and terminal phosphorothioate linkages results in an estimated increase of more than fiftyfold of ribozyme stability against digestion by nucleases present in T cell supernatant. 2'-modified ribozymes without phosphorothioate group show a stability which is about two times lower than the stability of RE115 (FC,FU,S).

C L A I M S

1. An RNA molecule with catalytic activity comprising at least one modified nucleoside, wherein the hydroxy group at the 2'-position of the ribose sugar is replaced by a modifier group, selected from halo, sulfhydryl, azido, amino, monosubstituted amino and disubstituted amino groups.
2. RNA according to claim 1, wherein the modifier group is a halo or an amino group.
3. RNA according to claim 1 or 2, wherein the halo group is a fluoro group.
4. RNA according to claim 1, wherein the catalytic activity comprises at least one of the group consisting of nucleotidyl transferase, dephosphorylase, deoxyribonuclease, and sequence specific endoribonuclease activities.
5. RNA according to claim 4, wherein the catalytic activity comprises a sequence specific endoribonuclease activity.
6. RNA according to claim 5, wherein it is a hammerhead ribozyme or a hairpin RNA.
7. RNA according to any of the preceding claims, wherein the nucleotide base attached to the modified ribose sugar is selected from the group consisting of bases naturally occurring in RNA and substituted bases.

8. RNA according to claim 7, wherein the substituted nucleotide base is selected from the group consisting of xanthine, hypoxanthine, 2,6-diamino purine, 2-hydroxy-6-mercaptapurine and purine bases substituted at the 6-position with sulfur or pyrimidine bases substituted at the 5-position with halo or C₁-C₅ alkyl groups.
9. RNA according to claim 7, wherein the nucleotide base attached to the modified ribose sugar is a base naturally occurring in RNA.
10. RNA according to claim 9, wherein the nucleotide base attached to the modified ribose sugar is a pyrimidine base.
11. RNA according to any of the preceding claims, wherein all nucleotide bases of one specific kind are attached to a modified ribose sugar.
12. RNA according to claim 11, wherein all uracil nucleotide bases are attached to a modified ribose sugar.
13. RNA according to claim 11, wherein all cytosine nucleotide bases are attached to a modified ribose sugar.
14. RNA according to any one of the claims 1 - 10, wherein all nucleotide bases of two specific kinds are attached to a modified ribose sugar.
15. RNA according to claim 14, wherein all cytosine and uracil nucleotide bases are attached to a modified sugar.

16. RNA according to any of the claims 11-15, wherein the modified ribose sugar is comprising a 2'-fluoro or a 2'-amino group.
17. RNA comprising the nucleotide sequence E2:
5'-GGG(2'-FU)CC(2'-FU)C(2'-FU)GA(2'-FU)GAGGCCG
(2'-FU)(2'-FU)AGGCCGAAAC(2'-FU)CC-3'
wherein 2'-FU represents 2'-deoxy-2'-fluorouridine monophosphate.
18. RNA comprising the nucleotide sequence E3:
5'-GGG(2'-NH₂U)CC(2'-NH₂U)C(2'-NH₂U)GA(2'-NH₂U)
GAGGCCG(2'-NH₂U)(2'-NH₂U)AGGCCGAAAC(2'-NH₂U)CC-3'
wherein 2'-NH₂U represents 2'-deoxy-2'-aminouridine monophosphate.
19. RNA according to any of the claims 1 to 10, comprising a selective modification pattern based on the structural characteristics of the molecule.
20. RNA according to claim 19, wherein nucleotides at hypersensitive sites for ribonucleases are modified.
21. RNA according to any of the preceding claims, further comprising at least one modified internucleotidic phosphodiester linkage.
22. RNA according to claim 21, wherein the modified phosphodiester linkage is a phosphorothioate group.
23. RNA according to claim 21 or 22, wherein at least the 5'-terminal phosphodiester linkage is modified.
24. RNA according to any of the claims 21 - 23, wherein at least the 3'-terminal phosphodiester linkage is modified.

25. RNA according to any of the claims 21 - 24, wherein the 5'-terminal phosphodiester linkage and the last three 3'-terminal phosphodiester linkages are modified.
26. Process for the synthesis of an RNA molecule with catalytic activity, comprising:
incorporating into an RNA chain at least one modified nucleotide, wherein the hydroxy group at the 2'-position of the ribose sugar is replaced by a modifier group, selected from halo, sulfhydryl, azido, amino, monosubstituted amino and disubstituted amino groups.
27. Process according to claim 26, wherein the modifier group is a halo or an amino group.
28. Process according to claim 26 or 27, wherein the halo group is a fluoro group.
29. Process according to claim 27 or 28, wherein the synthesis of the RNA chain is carried out by chemical synthesis from nucleotide precursors on solid support, removing the RNA product from said solid support and purifying the removed RNA product.
30. Process according to claim 27 or 28, wherein the synthesis of the RNA chain is carried out by chemical synthesis from nucleotide precursors in solution and purifying the RNA product.
31. Process according to claim 29 or 30, wherein the respective phosphoramidites or H-phosphonates are used as nucleotide precursors.

32. Process according to any of the claims 29 - 31, wherein the amino modifier group is incorporated in to an RNA chain in form of a trifluoroacetyl amido group, and the trifluoroacetyl protecting group is subsequently removed by treatment with ammonia.
33. Process according to any of the claims 26 - 32, further comprising:
incorporating into an RNA chain at least one modified internucleotidic phosphodiester linkage.
34. Process according to claim 33, wherein the modified phosphodiester linkage is a phosphorothioate group.
35. Process according to any of the claims 26 - 28, wherein the synthesis of the RNA chain is carried out by transcription from a nucleic acid template by an nucleic acid polymerase.
36. Process according to claim 35, wherein the nucleic acid template is a DNA template and the nucleic acid polymerase is a DNA dependent RNA polymerase.
37. Process according to claim 36, wherein the DNA dependent RNA polymerase is selected from the group, consisting of T7, T3 and SP6 polymerase.
38. Process according to claim 37, wherein the DNA dependent RNA polymerase is T7 polymerase.
39. Process according to any of the claims 35 - 38, wherein the modifier group is halo group and the synthesis of the RNA chain is carried out in presence of Mn^{2+} ions.


40. Process according to any of the claims 35 - 38, wherein the modifier group is a amino, monosubstituted amino, or disubstituted amino group and the synthesis of the RNA chain is carried out in presence of Mg^{2+} ions.
41. Use of an RNA according to any of the claims 1 - 25 a therapeutic agent or a biocatalyst.
42. Therapeutic agent comprising as active ingredient an RNA according to any of the claims 1 - 25, optionally together with convenient fillers, adjuvants, carriers and diluents.
43. Process of preparing a therapeutic agent, wherein the therapeutic agent comprises as active ingredient an RNA according to any of the claims 1 - 25, optionally together with convenient fillers, adjuvants, carriers and diluents.

1/7

Fig.1


A

13-mer: 5'-*pGGGAGUCAGGAUN-3'
12-mer: 5'-*pGGGAGUCAGGAU-3'



B

13-mer: 5'-pppGGG*AG(2'-FU)[*AGG*A(2'-FU)N-3'
12-mer: 5'-pppGGG*AG(2'-FU)[*AGG*A(2'-FU)-3'



0693667-0949

2/7

Fig. 2






Fig. 3




4/7

Fig. 4



5/7

Fig. 5



6/7

Fig.6

Ribozyme reaction of E2+S1






Fig.7

Ribozyme reaction of E3+S1



7/7



pOTH33

Fig. 8

5' CACAACACUGAUGAGGCCGUUAGGCCGAAACGGGCA 3'

Fig. 9

08933657-0449
454349-554680

ASSIGNMENT

WHEREAS the undersigned [hereinafter (collectively)
"ASSIGNOR"] have invented certain new and useful improvements in

(Title of Application) Modified Ribozymes

for which an application for United States Letters Patent was
executed concurrently herewith unless otherwise indicated.

WHEREAS
(Name and address
of Assignee)

Max-Planck-Gesellschaft zur Förderung der
Wissenschaften e.V.
Bunsenstraße 10
W-3400 Göttingen

a German corporation (hereinafter "ASSIGNEE") is
desirous of acquiring the entire right, title and interest in the
same:

Now, therefore, in consideration of the sum of one dollar
(\$1.00), the receipt whereof is hereby acknowledged, and other
good and valuable consideration, the said ASSIGNOR hereby sells,
assigns and transfers unto said ASSIGNEE, full and exclusive
right to the said invention in the United States and the entire
right, title and interest in and to any and all Letters Patent
which may be granted therefor.

Said ASSIGNOR hereby authorizes and requests the
Commissioner of Patents and Trademarks to issue said Letters
Patent to said ASSIGNEE, as the assignee of the entire right,
title, and interest in and to the same, for the sole use and for
the use of its successors, legal representatives, and assigns, to
the full end of the term for which said Letters Patent may be
granted, as fully and entirely as the same would have been held
by said ASSIGNOR had this assignment and sale not been made.

Witness, the hand and seal of the ASSIGNOR on the date(s)
indicated.

Date(s)

08.10.92

Signature(s)

F. Eckstein

F. Eckstein

Wolfgang Pieken

08.10.92

Fritz Benseler

Fritz Benseler

David B. Olsen

David M. Williams

08.10.92

Olaf Heidenreich

Olaf Heidenreich

0893657-09493

Docket No. _____

ASSIGNMENT

WHEREAS the undersigned [hereinafter (collectively)
"ASSIGNOR"] have invented certain new and useful improvements in

(Title of
Application)

Modified Ribozymes

for which an application for United States Letters Patent was
executed concurrently herewith unless otherwise indicated.

WHEREAS
(Name and address
of Assignee)

Max-Planck-Gesellschaft zur Förderung der
Wissenschaften e.V.
Bunsenstraße 10
W-3400 Göttingen

a German corporation (hereinafter "ASSIGNEE") is
desirous of acquiring the entire right, title and interest in the
same:

Now, therefore, in consideration of the sum of one dollar
(\$1.00), the receipt whereof is hereby acknowledged, and other
good and valuable consideration, the said ASSIGNOR hereby sells,
assigns and transfers unto said ASSIGNEE, full and exclusive
right to the said invention in the United States and the entire
right, title and interest in and to any and all Letters Patent
which may be granted therefor.

Said ASSIGNOR hereby authorizes and requests the
Commissioner of Patents and Trademarks to issue said Letters
Patent to said ASSIGNEE, as the assignee of the entire right,
title, and interest in and to the same, for the sole use and for
the use of its successors, legal representatives, and assigns, to
the full end of the term for which said Letters Patent may be
granted, as fully and entirely as the same would have been held
by said ASSIGNOR had this assignment and sale not been made.

Witness, the hand and seal of the ASSIGNOR on the date(s)
indicated.

Date(s)

08.10.92

Signature(s)

F. Eckstein

F. Eckstein

Wolfgang Pieken

08.10.92

Fritz Benseler

Fritz Benseler

07.10.92

David B. Olsen

David B. Olsen

David M. Williams

08.10.92

Olaf Heidenreich

Olaf Heidenreich

Docket No. _____

ASSIGNMENT

WHEREAS the undersigned [hereinafter (collectively)
"ASSIGNOR"] have invented certain new and useful improvements in

(Title of Application) Modified Ribozymes

for which an application for United States Letters Patent was
executed concurrently herewith unless otherwise indicated.

WHEREAS Max-Planck-Gesellschaft zur Förderung der
(Name and address Wissenschaften e.V.
of Assignee) Bunsenstraße 10
W-3400 Göttingen

a German corporation (hereinafter "ASSIGNEE") is
desirous of acquiring the entire right, title and interest in the
same:

Now, therefore, in consideration of the sum of one dollar
(\$1.00), the receipt whereof is hereby acknowledged, and other
good and valuable consideration, the said ASSIGNOR hereby sells,
assigns and transfers unto said ASSIGNEE, full and exclusive
right to the said invention in the United States and the entire
right, title and interest in and to any and all Letters Patent
which may be granted therefor.

Said ASSIGNOR hereby authorizes and requests the
Commissioner of Patents and Trademarks to issue said Letters
Patent to said ASSIGNEE, as the assignee of the entire right,
title, and interest in and to the same, for the sole use and for
the use of its successors, legal representatives, and assigns, to
the full end of the term for which said Letters Patent may be
granted, as fully and entirely as the same would have been held
by said ASSIGNOR had this assignment and sale not been made.

Witness, the hand and seal of the ASSIGNOR on the date(s)
indicated.

Date(s)

08.10.92

Signature(s)

F. Eckstein

F. Eckstein

Wolfgang Pieken

08.10.92

Fritz Benseler

Fritz Benseler

David B. Olsen

08.10.92

David M. Williams

David M. Williams

08.10.92

Olaf Heidenreich

Olaf Heidenreich

08936657 09249

Docket No. _____

ASSIGNMENT

WHEREAS the undersigned [hereinafter (collectively)
"ASSIGNOR"] have invented certain new and useful improvements in

(Title of
Application)

Modified Ribozymes

for which an application for United States Letters Patent was
executed concurrently herewith unless otherwise indicated.

WHEREAS
(Name and address
of Assignee)

Max-Planck-Gesellschaft zur Förderung der
Wissenschaften e.V.
Bunsenstraße 10
W-3400 Göttingen

a German corporation (hereinafter "ASSIGNEE") is
desirous of acquiring the entire right, title and interest in the
same:

Now, therefore, in consideration of the sum of one dollar
(\$1.00), the receipt whereof is hereby acknowledged, and other
good and valuable consideration, the said ASSIGNOR hereby sells,
assigns and transfers unto said ASSIGNEE, full and exclusive
right to the said invention in the United States and the entire
right, title and interest in and to any and all Letters Patent
which may be granted therefor.

Said ASSIGNOR hereby authorizes and requests the
Commissioner of Patents and Trademarks to issue said Letters
Patent to said ASSIGNEE, as the assignee of the entire right,
title, and interest in and to the same, for the sole use and for
the use of its successors, legal representatives, and assigns, to
the full end of the term for which said Letters Patent may be
granted, as fully and entirely as the same would have been held
by said ASSIGNOR had this assignment and sale not been made.

Witness, the hand and seal of the ASSIGNOR on the date(s)
indicated.

Date(s)

08.10.9208.10.9208.10.9208.10.92

Signature(s)

F. Eckstein

F. Eckstein

Wolfgang Pieken

Wolfgang Pieken

Fritz Benseler

Fritz Benseler

David B. Olsen

David M. Williams

O. Heidenreich

Olaf Heidenreich

0893657-09497